

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمعی
1	Pneumatic Control Valve	Remote Control (Rotork)	DN40 #800E5S Body:F316 Trim:F316	1	New	Valve Soams?		
2	Pneumatic Control Valve	Metso + Neles	DN100-DN150 , PN25 Body:CG8M, Shaft 329SS Trim: 329SS, Seat: Stell	1	New	Metso Type B1CU9/20 MFR2007 ,T=-40-260C Valve Neles R2LS100/150CJJK		
3	Pneumatic Control Valve	Remote Control (Rotork) +Somas	PN50 DN50 2" CF8M	1	New	Actuator RC230-DA Max ACC Pressure: 1Mpa,10Bar Valve Somas MFR2006		
4	Pneumatic Control Valve	Somas	Positioner: SP406 ACC: A13-DA - Conn:015-F07 Valve: 1" DN25 - 0.98MPa--> 9.8Bar	1	New	MFR Pos+Acc Sweeden Valve Fujikin Incorporated MFR Japan		
6	Pneumatic Control Valve	Neles	JUST Actuator Type: B1CU 6/20	1	New-	Neles pneumatic double acting and spring return B1-series piston type quarter turn actuators are designed for modulating control and on-off service.		
7	Pneumatic Control Valve	Fisher (Emerson)	61.2:480	1	New-	480 Series Yokless piston Actuators		
8	Pneumatic Control Valve	Fisher + Baumann	Bauman Valve DN25 1" PN10 - 40 Fisher 54-24688 Sufee	1	New+	Conn: Din 3343 Form A Fisher instrumnet regulator 67CFR-601 CV=1.0 + Positioner?		
9	Steam Water mixer Valve	-	Steam 1" + Water 1" outlet 2"	1	New	K type		
10	Pneumatic Control Valve	Kammer Ventile	Kammer Valve DN25 PN 40 , 1.4581 Actuator PN10	1	New	Actuator 30037...		
11	Pneumatic Control Valve	Fisher GEC Elliott Control Valves	Type: 667-ES Size:34	1	Bad Condition Worked	MFR EN		
12	Pneumatic Control Valve	Fisher GEC Elliott Control Valves	Type: 657FLEX/V Size:40	1	Bad Condition Worked	MFR EN		
13	Pneumatic Control Valve	Fisher GEC Elliott Control Valves	Type: ? Size:?	1	Bad Condition Worked	MFR EN		

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
1	PRESSURE GAUGE	Wika 0-1.6 Bar	dial 160 bottom connection Capsule Diaphragm	1				
2	PRESSURE GAUGE	Wika 0-1 Bar	dial 160 bottom connection Capsule Diaphragm	1				
3	PRESSURE GAUGE	Wika 0-1000 mmVp	dial 160 bottom connection Capsule Diaphragm	1				
4	PRESSURE GAUGE	Wika 0-1500-1600 mmVp	dial 160 bottom connection Capsule Diaphragm	1				
5	PRESSURE GAUGE	Wika 0-400 mmVp	dial 160 bottom connection Capsule Diaphragm	5				
6	PRESSURE GAUGE	Wika 0-600 mmVp	dial 160 bottom connection Capsule Diaphragm	7				
7	PRESSURE GAUGE	Wika 0-150-160 mmVp	dial 160 bottom connection Capsule Diaphragm	3				
8	PRESSURE GAUGE	Wika 0-250 mmWS	dial 160 bottom connection Capsule Diaphragm	3				
9	PRESSURE GAUGE	Wika 0-1000 mmVp	dial 160 bottom connection Capsule Diaphragm	2				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
10	PRESSURE GAUGE	Wika 0-6000 mmWS	dial 160 bottom connection Capsule Diaphragm	4				
11	PRESSURE GAUGE	Wika 0-1.6 bar	dial 100 bottom connection Capsule Diaphragm	2				
12	PRESSURE GAUGE	Wika 0-1600 mmVP	dial 100 bottom connection Capsule Diaphragm	1				
13	PRESSURE GAUGE	Wika 0-100 mmWS	dial 100 bottom connection Capsule Diaphragm	1				
14	PRESSURE GAUGE	Wika 0-160 mmVP	dial 100 bottom connection Capsule Diaphragm	1				
15	PRESSURE GAUGE	Wika 0-160 mbar	dial 100 bottom connection Capsule Diaphragm	1				
16	PRESSURE GAUGE	Wika 0-4000 mmVp	dial 100 bottom connection Capsule Diaphragm	4				
17	PRESSURE GAUGE	Wika 0-250 mmWS	dial 100 bottom connection Capsule Diaphragm	2				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
18	PRESSURE GAUGE	Wika 0-25 bar	Dial 160 Bottom connection G1/2B 232.50.160	1				
19	PRESSURE GAUGE	Wika 0-16 bar	Dial 160 Bottom connection 232.50.160	1				
20	PRESSURE GAUGE	Wika 0-400 mmVp	Dial 160 Bottom connection 232.50.160	2				
21	PRESSURE GAUGE	Wika 0-16 kp/cm	Dial 160 Bottom connection 232.50.160	6				
22	PRESSURE GAUGE	Wika 0-10 bar	Dial 160 Bottom connection 232.50.160	1				
23	PRESSURE GAUGE	Wika 0-1 bar	Dial 160 Bottom connection 232.50.160	3				
24	PRESSURE GAUGE	Wika	233.30.100 G1/2A Pos2	1				
25	PRESSURE GAUGE	Wika 0-16 bar		4				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
26	PRESSURE GAUGE	Wika 0-0.16 Kp/cm	Dial 160	1				
27	PRESSURE GAUGE	Wika 0-10 bar	Dial 160	3				
28	PRESSURE GAUGE	wika	232.50.160	1				
29	PRESSURE GAUGE	wika 0-250 mmVP	dial 150	3				
30	PRESSURE GAUGE	Wika 0-6 bar	Dial 160	3				
31	PRESSURE GAUGE	Wika 0-400 mVp	160	2				
32	PRESSURE GAUGE	Wika -1-1.5 KP/cm	150	1				
33	PRESSURE GAUGE	Wika 0-40 bar	Dial 160	1				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
34	PRESSURE GAUGE	Wika 0-60 KP/Cm	160	1				
35	PRESSURE GAUGE	Wika 0-2.5 Bar	150	3				
36	PRESSURE GAUGE	Wika 0-1.6 Bar	160	1				
37	PRESSURE GAUGE	Wika 0-25 Bar	160	4				
38	PRESSURE GAUGE	Wika 0-4 Bar	160	3				
39	PRESSURE GAUGE	Wika 0-6000 mmVp	160	3				
40	PRESSURE GAUGE	Wika 0-60 Bar	160	1				
41	PRESSURE GAUGE	Wika 0-1000 mmVp	160	1				

توضیحات	قیمت €	مستندات	وضعیت	تعداد	کد	برند	گروه کالا	ردیف
				3	160	Wika 0-40 Bar	PRESSURE GAUGE	42
				1	160	Wiak -1-1.5 Bar	PRESSURE GAUGE	43
				2	160	Wika 0-250 mmVP	PRESSURE GAUGE	44
				1	232.50.160 Pos3 R1/2"	Wika 0-6 Mpa	PRESSURE GAUGE	45
				6	160	Wika 0-10000 mmVp	PRESSURE GAUGE	46
				1	Dial 100	Wika 0-4 Bar	PRESSURE GAUGE	47
				1	Dial 100	Wika 0-1 Bar 0-100 Kpa	PRESSURE GAUGE	48
				1	Dial 100	Wika 0-1 Bar	PRESSURE GAUGE	49

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
50	PRESSURE GAUGE	Wika 0-1 Kp/cm	Dial 100	1				
51	PRESSURE GAUGE	Wika 0-60 Kp/cm	Dial 100	1				
52	PRESSURE GAUGE	Wika 0-600 mmVp	Dial 100	1				
53	PRESSURE GAUGE	Wika 0-60 bAR	100	1				
54	PRESSURE GAUGE	Wika 0-1.6 bAR	100	1				
55	Termprature Garuge			1				
56	PRESSURE GAUGE	Wika 0-6000 mmVp	Dial 100	1				
57	PRESSURE GAUGE	Wika 0-4 bAR	100	1				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	توضیحات
58	PRESSURE GAUGE	Wika 0-6 bAR 0-600 Kpa	100	1				
59	PRESSURE GAUGE	Svenska 0-40 Kg/cm		1				
60	PRESSURE GAUGE	Svenska -1-1 Kg/cm		1				
61	PRESSURE GAUGE	Wika 0-16 kp/cm	Dial 100 Bottom connection	1				

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمعی
1	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN10 PN63 ~#400	29	Best Quality			
2	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN20 PN63 ~#400	6	Best Quality			
3	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN25 PN63 ~#400	8	Best Quality			
4	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN40 PN63 ~#400	11	Best Quality			
6	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN65 PN40 ~#300	27	Best Quality			
7	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN80 PN40 ~#300	9	Best Quality			
8	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson Female	SS - BSPP Thread DN100 PN40 ~#300	10	Best Quality			
9	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN10 PN63 ~#400	6	Best Quality			
10	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN15 PN63 ~#400	44	Best Quality			
11	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN20 PN63 ~#400	22	Best Quality			

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمعی
12	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN32 PN63 ~#400	15	Best Quality			
13	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN40 PN63 ~#400	9	Best Quality			
14	Manual 3 Piece Ball Valve	K-Ball Fig 151 Emerson	SS - B.W. (F) DN65 PN40 ~#300	9	Best Quality			
15	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN8 PN63 ~#400	6	Best Quality Acid Resistant Steel ISO Top			
16	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN15 PN63 ~#400	16	Best Quality Acid Resistant Steel ISO Top			
17	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN20 PN63 ~#400	17	Best Quality Acid Resistant Steel ISO Top			
18	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN25 PN63 ~#400	8	Best Quality Acid Resistant Steel ISO Top			
19	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN32 PN63 ~#400	15	Best Quality Acid Resistant Steel ISO Top			
20	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN40 PN63 ~#400	10	Best Quality Acid Resistant Steel ISO Top			
21	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN50 PN63 ~#400	14	Best Quality Acid Resistant Steel ISO Top			

ردیف	گروه کالا	برند	کد	تعداد	وضیعت	مستندات	قیمت €	قیمت تجمیعی
22	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson Female	SS - BSPP Thread DN65 PN40 ~#300	7	Best Quality Acid Resistant Steel ISO Top			
23	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN15 PN63 ~#400	12	Best Quality Acid Resistant Steel ISO Top			
24	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN20 PN63 ~#400	2	Best Quality Acid Resistant Steel ISO Top			
25	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN25 PN63 ~#400	22	Best Quality Acid Resistant Steel ISO Top			
26	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN40 PN63 ~#400	4	Best Quality Acid Resistant Steel ISO Top			
27	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN50 PN63 ~#400	8	Best Quality Acid Resistant Steel ISO Top			
28	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN65 PN40 ~#300	15	Best Quality Acid Resistant Steel ISO Top			
29	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN80 PN40 ~#300	21	Best Quality Acid Resistant Steel ISO Top			
30	Manual 3 Piece Ball Valve	K-Ball Fig 171 Emerson	SS - B.W. (F) DN100 PN40 ~#300	5	Best Quality Acid Resistant Steel ISO Top			
31	Manual 3 Piece ? Ball Valve	KTM K-Ball Fig 172 Emerson	SS - B.W. (F) DN32 PN63 ~#400	2	Best Quality Acid Resistant Steel ISO Top (Floating Ball Valve)			

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمیعی
32	Manual 3 Piece Ball Valve	K-Ball Fig 172 Emerson	SS - B.W. (F) DN40 PN63 ~#400	23	Best Quality Acid Resistant Steel ISO Top			
33	Manual RB Ball Valve	Fig 180 Emerson	SS - B.W. DN40 PN100 ~#600	20	Best Quality			
34	Manual RB Ball Valve	Fig 180 Emerson	SS - B.W. DN40 PN100 ~#600	13	Best Quality			
35	Manual RB Ball Valve	Fig 180 Emerson	SS - B.W. DN40 PN63 ~#400	36	Best Quality			
36	Manual RB Ball Valve	Fig 180 Emerson	SS - B.W. DN80 PN40 ~#300	2	Best Quality			
37	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread RB DN15 PN100 ~#600	8	Best Quality			
38	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread RB DN20 PN63 ~#400	5	Best Quality			
39	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread DN25 PN63 ~#400	48	Best Quality			
40	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread DN32 PN63 ~#400	4	Best Quality			
41	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread DN40 PN63 ~#400	53	Best Quality			

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمیعی
42	Manual RB Ball Valve	Fig 180 Emerson	SS - BSPP thread DN50 PN63 ~#400	13	Best Quality			
43	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN- PN100 ~#600	4	Best Quality Heavy Duty - Full bore			
44	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN- PN100 ~#600	13	Best Quality Heavy Duty			
45	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN- PN100 ~#600	8	Best Quality Heavy Duty			
46	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN- PN100 ~#600	12	Best Quality Heavy Duty			
47	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - B.W. -thread DN15 PN100 ~#600	6	Best Quality Heavy Duty			
48	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - B.W. -thread DN40 PN100 ~#600	1	Best Quality Heavy Duty			
49	Fire Safe 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - B.W. -thread DN50 PN100 ~#600	28	Best Quality Heavy Duty			
50	Heavy duty 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN65 PN40 ~#300	1	Best Quality Heavy Duty non fire safe			
51	Heavy duty 3pc Ball Valve	K-Ball Fig 180 Emerson	WCB - ? DN65 PN63 ~#400	2	Best Quality Heavy Duty non fire safe			

ردیف	گروه کالا	برند	کد	تعداد	وضعیت	مستندات	قیمت €	قیمت تجمعی
			108.8534107	689				75,000.00

	Product	Manufacturer
1	1) Ball Valve 2) Actuator 3) Solenoid Valve 4) Switch Box	1)ADLER Spa 2)KSB 3)NORGREN -
2	1)Plug valve 2)Actuator 3)5/2 Solenoid Valve 4)Switch Box	1)TUFLIN(XOMOX) 2)TUFLIN(XOMOX) 3)NORGREN 4)SOLDO
3	Butterfly Valve with handle	EVBS
4	Butterfly Valve lever Operation	QKC
5	Ball Valve with Handle	VELAN
6	Ball Valve with Handle	VELAN
7	Check Valve	NEWAY
8	Soliwave	ENDRESS+HAUSER
9	1)Butterfly Valve 2)Pneumatic actuator	1)ADLER Spa 2)

10	Pressure Transmitter	Rosemount
11	Actuator	Samson
12	Safety Valve	NAF
13	Differential pressure and flow transmitter	Siemens

14	Level switch	E+H
15	Level switch	E+H
16	Level switch	E+H
17	Level switch	E+H
18	Micropilot	E+H

Model
1)Series 11/166682/0001 2)GD60-F05F07 3)9710000 -
1)177-460321 2)XD025S14A-F05 3)2623079 4)SP732H0-2

FQR50-A1GDA
1)- 2)15-RDB40-1SD1EO-D

3051TG2A2B21AS1I1Q4Q8Q16

3277-01102

7MF4420-1EA00-1AA3-2

FTL51-FGR2BB7G5A

FTL51-FB82DB7G5A

FTM51-1GG2L7A32AA

FTL51-FGR2DB7G4A

FMR50-AAACAABMGGF+

Discription
1) 2) 3) 4)
1) 2) 3)Port Size: G1/4 , Operating Pressure:2...8 Bar , Power consumption(24Vdc):1.6 Watt , Rated Current:30 mA , IP65 4)Rating:10-30 Vdc
DN65 PN16 Lug type
DN80 PN16 Wafer Type Body material: GGG40 Disc material: AISI316 seat material:EPDM
Size: 3 Inch/Class 150 RF Material:316L , seat material:RPTFE F to F: 203
Size: 3 Inch/Class 150 RF Material:F53 , seat material:RPTFE F to F: 178
Size: 8 Inch/Class 150 RF Body and Disc Material:A995 5A , seat and H.PIN material:F53 F to F: 179
Approval(A):Non hazardous area Distance emitter(1):Measuring range maximum 8 m G: Housing and Cable Entry(D):Aluminum F18-housing ,IP66,M20*1.5 Optional features(A):Basic equipment
1)DN1 2)Size:15 , RDB:92 degree std/Standard with ISO ring/Spring return 10 springs 40:40Ractuator,1:Standard Anodised,S: Standard -20 to 100 C , D:Namur pattern BSPP ports , 1: J switch , E(pinion): Norbro square-Female

Model(3051T):In-line pressure transmitter pressure type(G):gauge Pressure range(2):-14.7 to 150 psi (-1.01 to 10.34 bar) Transmitter output(A):4-20 mA with Digital Signal based on HART protocol Process connection style (2B):1/2-14 NPT female Isolating diaphragm (2):316L SST Sensor fill fluid (1):silicone Housing material(A): Aluminum, Conduit entry size: 1/2–14 NPT Diaphragm seal assemblies(S1): Assemble to one Rosemount 1199 seal Product certifications(I1): ATEX Intrinsic Safety and Dust Calibration certification(Q4):Calibration Certificate Material traceability certification(Q8): Material Traceability Certification per EN 10204 3.1 Surface finish(Q16):Surface finish certification for sanitary remote seals
Pneumatic actuator:240 cm^2 Stroke:15 mm Spring range:0.4-2BAR Air supply max. :90 psi
DN80,PN16 Set pressure:9 Bar Seat:70 Spring limits:8-11.5 Mfg No:D0538
Order number:7MF4420 Measuring cell filling(1):Silicone Oil Measuring span(E):60 mbar to 600 mbar Material of components that come into contact with the medium(A): Diaphragm:stainless steel Parts of measuring cell:stainless steel Process cover:stainless steel Process connection(0):Female thread 1/4-18NPT and Flange connection to DIN 19 213 with thread M10 Material of components that do not come into contact with the medium(0): Screws of process covers:Steel Electronics housing: Die-cast Aluminium 1:not found Explosion protection(A):None Electrical connection/cable inlets(A): Pg 13.5 compression gland Indicator(3): scale 0 to 100 %, linear

Design (FTL51): With extension pipe
Approval(F): ATEX II 1/2GD Ex ia IIC T6, WHG/IECEX
Process connection(GR2):G1/316L/Thread ISO228
Probe length; Type(BB):316L, Ra <3.2 µm/126 µin
Electronics; output(7): FEL57 2-wire PFM
Housing; cable entry(G5): F13 Alu , IP66/68 , M20 threaded joint
Additional option(A): Basic version

Design (FTL51): With extension pipe
Design (FTL51): With extension pipe
Approval(F): ATEX II 1/2GD Ex ia IIC T6, WHG/IECEX
Process connection(B82):DN25/PN24,40A/316L/Flange EN 1092-1 (DIN 2527 B)
Probe length; Type(DB): Length type II;316L, Ra <3.2 µm/126 µin
Electronics; output(7): FEL57 2-wire PFM
Housing; cable entry(G5): F13 Alu , IP66/68 , M20 threaded joint
Additional option(A): Basic version

Design: FTM51
Approval(1): ATEX II 1 D, 1/2 GD, 1/3 GD Ex ia IIC T6
Process connection(GG):Thread EN10226 R 1 1/2
Material; surface refinement(2): 316L; Ra

Design (FTL51): With extension pipe
Approval(F): ATEX II 1/2GD Ex ia IIC T6, WHG/IECEX
Process connection(GR2):G1/316L/Thread ISO228
Probe length; Type(DB): Length type II;316L, Ra <3.2 µm/126 µin
Electronics; output(7): FEL57 2-wire PFM
Housing; cable entry(G4): F16 Polyester, IP66/67; M20 threaded joint
Additional option(A): Basic version

https://portal.endress.com/wa001/dla/5000573/9408/000/04/TI01039FEN_0515.pdf

لیست تجهیزات موجود در کارگاه

تاریخ ویرایش:
۱۴۰۳-۰۸-۱۱

ردیف	نام تجهیز	برند	اندازه	تعداد	دسته بندی
۱	دستگاه تراش		۳ m	۱	
۲	دستگاه تراش		۱.۵ m	۱	
۴	دستگاه فرز	انیورسال		۱	
۵	صفحه تراش		۷۱ cm	۱	
۶	دریل رادیال	مورس پنج		۱	
۷	اره لنگ		۴۰ cm	۱	
۸	برش پلاسما			۱	
۹	برش ریلی			۲	
۱۰	برش گاز اکسیژن دستی			۴	
۱۱	دستگاه جوش رکتیفایر			۶	
۱۲	دستگاه جوش میگ			۴	
۱۲	دستگاه رول فرمینگ			۱	